Form No 10-300 (Rev. 10-74)

UNITED STATES DEPARTM. TOF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS LE ONLY

RECEIVED

DATE ENTERED

Otalono and a series and a seri				
SE	E INSTRUCTIONS IN <i>HOW</i> TYPE ALL ENTRIES	TO COMPLETE NATION COMPLETE APPLICATION OF THE COMPLETE AP	ONAL REGISTER FORI ABLE SECTIONS	<i>MS</i>
1 NAME				
HISTORIC	Central National Bank	(preferred na	ame)	
AND/OR COMMO	n Topeka Bank and Trust			
2 LOCATIO	ON			
STREET & NUMBE	R 701-703 Kansas Ave	nue	NOT FOR PUBLICATION	I <b>N</b>
CITY, TOWN	Topeka	_ VICINITY OF	CONGRESSIONAL DIS	STRICT Bys
STATE	Kansas	CODE 20	COUNTY Shawnee	CODE
3 CLASSIF	ICATION	•		
CATEGOR		STATUS	PRI	ESENT USE
DISTRICT	PUBLIC	X_OCCUPIED	AGRICULTURE	MUSEUM
X BUILDING(S)STRUCTURE	X_PRIVATE	UNOCCUPIED	X_COMMERCIAL	PARK
SITE	BOTH	WORK IN PROGRESS	EDUCATIONAL	PRIVATE RESIDENC
OBJECT	PUBLIC ACQUISITION		ENTERTAINMEI	NTRELIGIOUS
OBJEC1	IN PROCESS	X-YES: RESTRICTED	GOVERNMENT	_SCIENTIFIC
	BEING CONSIDERED	YES: UNRESTRICTED	INDUSTRIAL	TRANSPORTATION
		NO	MILITARY	OTHER:
1 OWNER	OF PROPERTY			
NAME	Topeka State Bank and	Trust Co., John I	Finden, President	
STREET & NUMBER	P. O. Box 56			
CITY, TOWN	Topeka	VICINITY OF	STATE	Kansas 66603
BLOCATIO	ON OF LEGAL DESCI			
1422.00 M				
COURTHOUSE. REGISTRY OF DEE		Deeds		<u>'</u>
STREET & NUMBER		ty Courthouse		•
CITY, TOWN	Topeka		STATE I	Kansas
6 REPRESE	NTATION IN EXIST	'ING SURVEYS		
TITLE				
I	Historic Sites Survey			
DATE	June 26, 1974	FEDERAL	XSTATECOUNTYLOC	AL
DEPOSITORY FOR				
SURVEY RECORDS	Kansas State Histor	ical Society		·
CITY, TOWN	Topeka		STATE	Kansas 66612
	LOUENA			

CONDITION

**CHECK ONE** 

**CHECK ONE** 

\_XEXCELLENT

\_\_\_DETERIORATED

\_\_UNALTERED X\_ALTERED

X\_ORIGINAL SITE

....FAIR

\_\_UNEXPOSED

\_\_RUINS

\_\_MOVED DATE\_\_\_\_

#### DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Central National Bank building, now the Topeka Bank and Trust Company building, was designed in the Neo-Classical style. It is a two story structure with a basement and measures 50 feet along the Kansas avenue facade, 150 feet along Seventh street and is 41 feet high. The building was constructed of re-inforced concrete and steel and faced with a buff colored Bedford stone. The building which faces east and fronts on Kansas avenue is located in the banking district of Topeka and is on a traditional site. The portico of the east facade is supported by four Ionic columns and two piers on a granite base. The entablature is unorthodox with a decorated frieze; there are rosettes on the half module points on the uppermost cyma recta below which are the ovolo, dentils, cyma reversa and astragal. Above the cornice is a solid balustrade decorated with festoons in relief and a cartouche. A recessed facade stands behind this portico. The main entrance which is located on this facade is centered between the columns. Above the foor is an entablature embellished with a fascia, ovolo, fascia, cyma reversa, and astragal. The entablature is supported by consoles and underneath on the architrave are four rosettes. Surmounting the entablature is a carved stone eagle. There are plate glass windows centered on either side of the door. Above these windows are roundels with the symbols of the two original occupying financial institutions. The three windows on the second story are aligned with the openings on the first floor. Below their sills runs a continuous band of Greek fret moulding.

The north facade on Seventh street has also been finished with the Bedford stone. There is a fairly steep grade on this part of the site, allowing a light well for part of the basement floor. Two wide Doric pilasters indicate the first bay of this facade. A window has been centered in this bay and the moulding details are continued from the east facade of the building in the balustrade and entablature to the end of this bay. The end of this bay is marked by a fluted Roman Doric pilaster which begins a new module. There is a series of seven fluted Doric pilasters separating six large windows on each floor. The balustrade above the cornice reflects this change in the bays with a solid balustrade above the pilaster alternating with balusters above the windows. The final bay of this facade is again defined by two wide pilasters but contains two windows on each floor. There is also an entrance into the basement level in this bay.

The Bedford stone facade continues around the corner to the west facade which backs onto an alley. The stone facade stops after several feet and the wall is continued with a pale yellow brick. The window lintels and sills and an indication of the cornice height are defined with plain, dressed stone. There are three windows on the second story, five on the first and four windows and an entrance on the basement floor. The south facade is a shared wall and has been constructed of brick.

PERIOD	. AR	EAS OF SIGNIFICANCE CH	ECK AND JUSTIFY BELOW	
PREHISTORIC1400-14991500-15991600-16991700-17991800-1899 X_1900-	ARCHEOLOGY-PREHISTORIC ARCHEOLOGY-HISTORIC AGRICULTURE  X_ARCHITECTURE ART  X_COMMERCE COMMUNICATIONS	COMMUNITY PLANNING CONSERVATION ECONOMICS EDUCATION ENGINEERING EXPLORATION/SETTLEMENT INDUSTRY	LANDSCAPE ARCHITECTURE LAW LITERATURE MILITARY MUSIC PHILOSOPHY POLITICS/GOVERNMENT	RELIGION SCIENCE SCULPTURE SOCIAL/HUMANITARIAN THEATER TRANSPORTATION OTHER (SPECIFY)

SPECIFIC DATES

1926

BUILDER/ARCHITECT

Wight and Wight

STATEMENT OF SIGNIFICANCE

The Central National Bank building was erected in 1926-1927 by the Central National Bank and the Central Trust Co.

The Central National Bank's history can be traced back to 1882 through a number of name and ownership changes. The Central Trust Co.was formed in 1914 by some of the same people who had a controlling interest in the bank. The two institutions were always located at one of the corners of the Kansas avenue and Seventh street intersection: originally on the northeast corner but after 1887 at the southeast corner. In 1926 the land at the southwest corner was purchased and an existing building was razed.

Plans for the new banking facility were prepared by the Kansas City, Mo., firm of Wight and Wight. J. R. Burrow, Jr., vice-president of both financial institutions, announced on February 10, 1926, that the general contract for the building had been let to F. M. Spencer and Son of Topeka with a projected completion date of December 1, 1926. However, the building was not ready for occupancy until mid-April, 1927.

When it was opened, the Central National Bank building was the most modern up-to-date banking facility in Topeka. Erected at an estimated cost of \$250,000, it was regarded as one of the most attractive business buildings in the city.

The Central National Bank occupied the building until it merged with the National Bank of Topeka to form the First National Bank of Topeka around 1957. Topeka State Bank moved into the vacated quarters in 1959 after 54 years at 735 Kansas avenue. In 1974-1975 the building was renovated and remodeled. The exterior was cleaned and some rearranging was done on the interior. However, the building's classical appearance was retained. The name of the present occupant was changed to Topeka Bank and Trust in 1975.

The Central National Bank building was the work of one of the Midwest's prominent twentieth century architectural firms, Wight and Wight. The building's distinctive appearance has made it a landmark on Topeka's principal business street. It has also been called the best execution of classical design in a Topeka commercial building.

"Bank Ret	Celebrate Renova	L Appearance, ation, Name C	" Topeka <u>Cap</u> hange," Topek	it: Journal, June a Capital-Journal	Nov. 30, 1975
"Central T "Contract	Crust History a S Let for Central	Story of Rapi L Bank Buildi	d Growth," To ng," Topeka <u>C</u>	urnal, June 21, 19 peka <u>Capital</u> , Aprapital, Feb. 10, 10 opeka <u>Journal</u> , Aprapeka <u>Journal</u> , Aprapi	. 18, 1927. 1926.
10 GEOGRAI	PHICAL DATA				
ACREAGE OF NO UTM REFERENCE	MINATED PROPERTY	one	<del></del>		
A 1 4 2 Z	6,86,0,0 4,3 STING NORT	2,5 5,3,0 HING	B ZONE E	ASTING NORTH	IING
C L L L	NDARY DESCRIPTION		DLL L	<u> </u>	
			in a prosent of Archae	LAND BETT OF	
Ť.	मार्थ सम्बद्ध होते. उत्तर जन्म			to the standing	
				ाख्य करीय हैं "	
LIST ALL	STATES AND COUNT	IES FOR PROPERT	IES OVERLAPPING	STATE OR COUNTY BOU	INDARIES
STATE		CODE	COUNTY	,	CODE
STATE		CODE	COUNTY		CODE
M FORM DR	EPARED BY				
NAME / TITLE	Richard Pankr	atz, Director	, Historic Si	tes Survey	•
ORGANIZATION	Cornelia Wyma	, Architectur	al Historian	DATE	
ORGANIZATION	Kansas State	Historical Sc	ciety		y 6, 1976
STREET & NUMBER		Charach		TELEPHONE 	251
CITY OR TOWN	120 West 10th	prieer	<u> </u>	STATE	
	Topeka			다 , , , Kansa	s 66612
<b>2</b> STATE H	ISTORIC PRES	SERVATIO	N OFFICER	CERTIFICATIO	N
3	THE EVALUATED S	SIGNIFICANCE OF	THIS PROPERTY W	ITHIN THE STATE IS:	
NAT	TIONAL	STAT	E	LOCAL X	r.
hereby nominate t	his property for inclusio	n in the National F	Register and certify	servation Act of 1966 (Pul that it has been evaluated	olic Law 89-665), I d according to the
criteria and proced	ures set forth by the Nat	donai Park Service. 0	y	~ - 11	
STATE HISTORIC P	RESERVATION OFFICER SIG	NATURE	nga H.	milly	
	utive Director,	Kansas State	Historical Sc	DATE ociety Janu	ary 30, 1976
FOR NPS USE ONLY I HEREBY CERT	IFY THAT THIS PROPE	RTY IS INCLUDED	IN THE NATIONAL	REGISTER	
DIRECTOR, OF	FICE OF ARCHEOLOGY	AND HISTORIC PE	RESERVATION	DATE	
	E NATIONAL REGISTER	i .			

Form No. 10-300a (Rev. 10-74)

#### UNITED STATES DEPARTML OF THE INTERIOR NATIONAL PARK SERVICE

## NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS	EONLY	
30 . 34.		
RECEIVED		٠. '
DATE ENTE	RED	

Central National Bank

**CONTINUATION SHEET** 

**ITEM NUMBER** 

PAGE

7.

The interior lobby is trimmed with Travertine, which is also the flooring material. The second vestibule is trimmed with Tennessee tavenell marble. The stairway on the right in this vestibule leads up to two offices. The stairway on the left leads down to the safety deposit vaults in the basement. The balustrades of these stairways are of tavenell marble alternated with bronze balusters.

The banking room measures 45 feet by nearly 100 feet in depth. The ceiling at its highest point is 35 feet high and has a slight vault decorated with coffered hexagonals in which are set rosettes of gold and cream. The walls of this room are Zenitherm, a special composition material that is resistant to heat and cold and sound absorbant. High up on the walls are medallions of golden veined St. Genevieve marble. The counters in the middle of the room are also made from this marble. The frieze in this room reads, "The Bank is the Promoter of all Industry;" "The Bulwark of Agriculture and Manufacturing;" "The Distributor of Funds for all Enterprises;" "The Bank is the Guardian of the Home;" "Accepts and Executes the Sacred Trusts of Firms and Individuals and Encourages Thrift." Lighting comes from three chandeliers of wrought iron and bronze. Looking toward the front of the building from the banking floor, two pillars of St. Genevieve marble support a small balcony that is flanked by candlelights.

Another room is entered from the back of the banking room through pillars of St. Genevieve marble which support a balcony that is a duplicate of the one over the main entrance to the banking room. In back of the balcony is a large clock set in marble with bronze hands and numerals. On the other side of the pillars are bronze and glass doors on either side of which is heavy bronze filigree work. On the left of this entrance is a stairway to the clerical department on a mezzanine floor. This floor looks out over the banking floor and has a balustrade of bronze, French grey and light blue, the metal bars of the balustrade being set in St. Genevieve marble with alternating bars of that stone. Lighting the forepart of the mezzanine floor is a chandelier similar to but smaller than those in the main banking room.

The exterior of the building was floodlighted in 1939 with a strip of neon tubing above the cornice. Architect W. D. Wight of the Kansas City, Missouri, firm of Wight and Wight, supervised the project. The north side was lighted with five floodlights mounted below the sidewalk level. The front of the building was lighted with four lights mounted high behind the columns.

In 1974-1975 the building underwent renovation and remodeling. The exterior was sandblasted and new bronze double-pane windows and doors were installed. Metal signs running most of the length of the east and north facades were removed. The tellers' cages on the interior were moved from

Form No. 10-300a (Rev. 10-74)

### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR N	USE O	NLY		- A. - 417	<u> </u>		
		wall fo				Ç	
RECEI	/ED			NAME OF THE PARTY			
1	CNITEDEN		à a				• •

Central National Bank

CONTINUATION SHEET

**ITEM NUMBER** 

PAGE

7.

the north wall to the south wall. The floor which was originally linoleum has been covered in places with carpet. Planters have been placed between the columns on the exterior. A bronze colored time and temperature sign has been added to the east facade.

9.

Markley, Walt, <u>Builders of Topeka</u> (Topeka, Capper Printing Co., 1934), pp. 323-3

<u>Remembrances in Wood</u>, <u>Brick and Stone</u> (Topeka-Shawnee County Metropolitan

<u>Planning Commission</u>, 1974), pp. 172, 173.

